



1st Sample Team (Data Completeness) 2020-03-16 To 2020-09-17



Total	
Health problems reported	40
Diagnosis rate	10 / 40 (25%)

Incidence (Health Outcomes)


1st Sample Team
2020-03-16 To 2020-09-17



Prevalence (Health Outcomes)

1st Sample Team

2020-03-16 To 2020-09-17




	Average Prevalence	95% CI	Min	Max	Incidence	Cases/athlete/year
All health problems	17%	16% to 18%	14%	20%	3.9 cases per athlete per year	
Substantial health problems	10%	9% to 11%	5%	15%	0.8 cases per athlete per year	
All illnesses	9%	7% to 10%	5%	15%	0.6 cases per athlete per year	
Substantial illnesses	2%	1% to 3%	0%	6%	0.1 cases per athlete per year	
All acute injuries	10%	9% to 11%	5%	15%	1.3 cases per athlete per year	
Substantial acute injuries	9%	9% to 10%	5%	11%	0.4 cases per athlete per year	
All overuse injuries	0%	-0% to 1%	0%	5%	0.1 cases per athlete per year	
Substantial overuse injuries	0%	0% to 0%	0%	0%	0 cases per athlete per year	

1st Sample Team (Relative Burden)

2020-03-16 To 2020-09-17


Click bar to view details




	Cases	Slight (0 days)	Mild (1-7 days)	Moderate (8-28 days)	Severe (>28 days)	Total time loss
Injury	38	26	2	2	8	4137
Acute	16	9	0	2	5	3771
Shoulder	6	5	0	0	1	123
Knee	2	2	0	0	0	0
Pelvis	1	0	0	0	1	774
Head	4	2	0	1	1	80
Elbow	1	0	0	0	1	217

Chest/ribs/upper back	2	0	0	1	1	229
Hand	1	0	0	0	1	2565
Overuse	1	1	0	0	0	0
Shoulder	1	1	0	0	0	0
Illness	15	13	0	1	1	135
No category selected	13	12	0	1	0	12
Endocrine	1	0	0	0	1	123
Dermatology	1	1	0	0	0	0


1st Sample Team (Injuries by Location) 2020-03-16 To 2020-09-17



1st Sample Team (Injuries by Activity Category) 2020-03-16 To 2020-09-17



1st Sample Team (Common Diagnoses)
2020-03-16 To 2020-09-17



1st Sample Team (Common Diagnoses)

2020-03-16 To 2020-09-17

